

Declaration of Conformity in accordance with Regulation (EC) 1935/2004

the manufacturer:
Ampri Handelsgesellschaft mbH
Benzstr. 16
21423 Winsen (Luhe)
Germany

confirms the conformity of article

29241(118-064) RUCK

bordeaux			
		•	

disposable nitrile gloves, powderfree

with the rules of the

Regulation (EC) 1935/2004 - article 3, 5, 11, 15 and 17-,

german feed and food code – LFGB,

Regulation (EC) 10/2011, with regard to the migration behaviour,

and the german recommendation XXI of the Federal Institute for Risk Assessment (BfR).

Specification of the intended use or limitations

The above-mentioned article can be used safely in the preparation and treatment of food. In this process, they may be in direct contact with the following types of food for a short time:

	•		0 //	
all types				
Restriction				
The article is not suitable for the following types of food:				
not applicable				

The valuation basis for the glove-application is a surface-to-volume ratio of 8,4 dm² per 5kg food in accordance with the German BfR.

sensory evaluation*

simulant solution	conditioning	testing	result
water	10 minutes 40°C	odour change	no changes
water	10 minutes 40°C	flavour change	no changes



results of the overall migration*

simulant solution	conditioning	overall migration mg/dm ²	limit mg/dm²
Isooctane	5 minutes 20°C	3,5 mg/dm ²	10 mg/dm ²
ethanol 95%	10 minutes 40°C	6,2 mg/dm ²	10 mg/dm ²
acetic acid 3%	10 minutes 40°C	< 2,5 mg/dm ²	10 mg/dm ²

results of the specific migration

compound	simulant solution	Conditioning or other analytical methods	result	limit
Formaldehyde	acetic acid 3%	10 minutes 40°C	not detected	3 mg/l
Nitrosamines	acetic acid 3%	10 minutes 40°C	0,02 μg/dm2	1 μg/dm2
Primary aromatic amines (PAA)	acetic acid 3%	10 minutes 40°C	not detected	not detected
Acrylonitrile	water	10 minutes 40°C	not detected	not detected
Phthalates*	ethanol 95%	10 minutes 40°C	not detected	

Result total content

compound	simulant solution	Conditioning or other analytical methods	result	limit
Polycyclic aromatic hydrocarbons (PAH)*		GC-Analysis	not detected	< 0,2 mg/kg
Butadiene		§64 LFGB B 80.30.22	not detected	1 mg/kg
Zinc		microwave digestion with sulphuric	10.000 mg/kg	30.000 mg/kg
Phthalates*		GC-Analysis	not detected	
Lead*		microwave digestion with salpetric acid*	< 1 mg/kg	< 100 mg/kg
Cadmium*		microwave digestion with salpetric acid*	< 1 mg/kg	< 100 mg/kg



Examination of pigments ((for coloured items)****

simulant solution	evaluation
water	passed, no colour transition
acetic acid 3%	passed, no colour transition
ethanol 10%	passed, no colour transition

regulation (EU) 2020/1245 heavy metals**

simulant solution:	acetic acid 3%
conditioning:	10 minutes 40°C

evidence	concentration in mg/kg	limit in mg/kg food or food simulant
Aluminium	< 0,1	1
Antimony	< 0,01	0,04
Arsenic	< 0,01	0,01
Barium	< 0,1	1
Cadmium	< 0,001	0,002
Chromium	< 0,01	0,1
Cobalt	< 0,005	0,05
Copper	< 0,5	5
Europium	< 0,01	0,05
Gadolinium	< 0,01	0,05
Iron	< 5	48
Lanthanum	< 0,01	0,05
Lead	< 0,01	0,01
Lithium	< 0,1	0,6
Manganese	< 0,1	0,6
Mercury	< 0,01	0,01
Nickel	< 0,002	0,02
Terbium	< 0,01	0,05
Zinc	< 0,5	5



Testreport-no & institute:

FUFDCP2017-00422, Intertek

* (25419)248-441301, Bureau Veritas

**(25422)125-515514, Bureau Veritas

**** 3698/90-3, Isega

When used as specified, the overall migration as well as the specific migration do not exceed the legal limits.

The examination was conducted in accordance with

Regulation (EC) No. 10/2011 (Annex V), including all current amendments and corrections.

The requirements for materials and raw materials of the Plastic Regulation (EC) No. 10/2011 is not applicable for elastomer-protective gloves.



regulation (EC) 2023/2006

The above article is manufactured in accordance with Good Manufacturing Practices (GMP), i.e. they are produced and controlled with the assurance of compliance with applicable regulations and quality standards.

Ingredients with limited use in food "dual use substances"

not applicable

Name of the substance	RefNo. (CAS- EINECS-PM and/or E-No)	Limit value [mg/kg]

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Winsen, 21.08.2023